Zackuse Creek Fish Passage and Stream Restoration Project

PUBLIC OPEN HOUSE

MARCH 29, 2017



Project Goals

- Improve fishery resources by increasing access to habitat for Lake Sammamish Kokanee and other salmonids
- Restore cultural resources and tribal connection to local streams and lakes
- Successfully partner with local residents, governments, and tribes

Project Objectives

- Replace the East Lake Sammamish Parkway (ELSP) culvert with a fish passable culvert
- Realign and regrade Zackuse Creek upstream of ELSP
- Provide outreach opportunities with local community
- Coordinate with King County on the downstream culvert projects


Zackuse Creek – Project Map



Zackuse Creek Characteristics

- ➤ Cultural History
- ▶ Geology
- > Hydrology
- ▶ Topography
- >Land Use


Zackuse Creek Geology



Geological Map Units (Scale = 1:24,000)Qal - Alluvium Qc - Colluvium Qf - Fan deposits Qls - Landslide Deposits Qmw - Deposits of Mass Wasting Processes Qoal - Older alluvium Qp - Peat deposits Qpf - Undifferentiated Sedimentary Deposits Pre-Fraser Glaciation Qpf(f) - Fine Grained Deposits Pre-Fraser Glaciation (Generally Silt and Clay) Qtb - Transitional Beds (Generally Fine Grained Deposits) Qva - Advance Outwash Deposits Qvi - Ice Contact Deposits Qvr - Recessional Outwash Deposits Qvt - Till Qw - Wetland Deposits Qyal - Younger alluvium Tb - Blakeley Formation (Sandstone)

Tsc - Sandstone and Conglomerate

Downstream of East Lake Sammamish Shore Lane





Culvert at East Lake Sammamish Shore Lane





Downstream of East Lake Sammamish Trail Culvert



Downstream of East Lake Sammamish Parkway





Upstream of Culvert at East Lake Sammamish Parkway





Upstream of East Lake Sammamish Parkway (Ditch)





Upstream of ditch (Pereyra property)



400-ft upstream of ELSP culvert (Pereyra property)



600-ft upstream of ELSP culvert (Pereyra property)





800-ft upstream of ELSP culvert (Headcut)





800-ft upstream of ELSP culvert





Outlet of culvert at 206th Ave NE and upstream culvert



200-ft upstream of 206th Ave NE (north embankment slide 3/25/17)



Upstream 206th Ave NE





Channel at Louis Thompson Hill Road and 210th Pl NE (retaining wall slide)





11/15/15 12/14/16

Zackuse Creek Outfalls





Zackuse Creek Outfalls





Zackuse Creek Outfalls





Fish Passage Culvert Design

- Conducted field study and measurements of existing system
- > Reviewed previous work and recommendations for culvert replacement size
- > Hosted field meeting with WDFW and Snoqualmie and Muckleshoot tribes
- > Agencies and tribes agreed on culvert design methodology discussed in field
- > A culvert width of 12 feet proposed
- ➤ Next step culvert construction methods

Stream Restoration Design

- > Design a stable channel to retain spawning size gravel at design flows
- > Introduce roughness to reduce velocity, direct flows, and provide habitat
- > Review channel bed form options to reduce gradient (ie, chute/pool/run type sequence)
- > Evaluate optimal tie in points for stream re-alignment to allow maximum habitat restoration
- ➤ Next step stream restoration layout and design details

Project Schedule

February/Ongoing Coordinate with Stakeholders and Partners

March 29, 2017 Public Open House 1

April 2017 Preliminary design completed and submit for permits

May 1, 2017 Update to Sammamish City Council

November 2017 Public Open House 2

February 2018 Final Design and Permitting Completed

March 2018 Construction Advertisement and Bid Award

July – October 2018 Construction

November 2018 Project Completed

Project Partners

- ➤ City of Sammamish
- ➤ King County
- ➤ Kokanee Work Group
- ➤ Snoqualmie Tribe
- >Trout Unlimited
- Private Property Owners



Questions